Examiner: P. Pich

Art Unit: 2135

REMARKS

Reconsideration of the pending application is respectfully requested on the basis of

the following particulars:

Claim objections

Claim 12 is objected to for certain informalities. In particular, the examiner notes

that "as" in line 2 of claim 12 should be "has." Claim 12 has been amended according to

the examiner's suggestion. Accordingly, withdrawal of the objection is respectfully

requested.

Rejection of claims 4 and 5 under 35 U.S.C. § 112, second paragraph

Claims 4 and 5 presently stand rejected as being indefinite. In particular, the

examiner notes that the recitation of "the ISO standard" is unclear as to which ISO

standard is being referenced. Claims 4 and 5 have been amended to recite "ISO 7816."

Support for this amendment is found on pages 1, 8, and 9 of the originally filed

application, and therefore no new matter is presented.

It is respectfully submitted that "ISO 7816" is clearly understood by persons

skilled in the art, and therefore the amended claims are not indefinite. Accordingly,

withdrawal of the rejection is respectfully requested.

Rejection of claims 1, 8-10, 12, and 14 under 35 U.S.C. § 102(e)

Claims 1, 8-10, 12, and 14 presently stand rejected as being anticipated by Saliba

(U.S. 5,894,425). This rejection is respectfully traversed for the following reasons.

The present invention is directed to a method for testing the authenticity of a data

carrier and an external device. After testing the authenticity, data transfer is carried out

between the data carrier and the external device.

According to the present invention, two bidirectional data channels are provided

between the data carrier and the external device. Signals are transferred via the first data

Examiner: P. Pich

Art Unit: 2135

channel for the purpose of exchanging data between the data carrier and the external

device, and authenticity signals are transferred between the data carrier and the external

device. The first and second data channels are logically separate from one another.

This is expressed, for example, in the method set forth in independent claim 1, by

the recitation of providing a first bidirectional transmission channel for transmitting

signals having signal patterns between the data carrier and the external device, providing a

second bidirectional transmission channel logically separated from the first bidirectional

transmission channel, and transmitting the signal for authenticity testing from the data

carrier to the external device via the second bidirectional transmission channel.

Accordingly, claim 1 clearly sets forth first and second transmission channels each

transmitting signals between the data carrier and the external device. Independent claims

8, 12, and 14 each similarly recite the present invention.

Saliba fails to disclose or suggest a data carrier having two logically separate

bidirectional data channels provided between the data carrier and an external device.

On the contrary, Saliba discloses a field unit 50, having a data communication

channel for communicating between the field unit and a drive unit. The data

communication channel is discloses as an infrared (IR) interface. (see Saliba; col. 5, lines

26-43; col. 6, lines 17-36). Separately, the field unit optionally includes a wireless radio

send/receive unit, such as for cellular wireless communication, for communicating with a

remote host computer. (see Saliba; col. 5, lines 44-46).

Thus, Saliba discloses a field unit that communicates via a first communication

channel with a first external device, and via a second communication channel with a

second, different external device. Saliba does not disclose or suggest two logically

separate data transfer channels between the field unit and the drives, or, alternatively,

between the field unit and the host computer.

Therefore, it is respectfully submitted that Saliba fails to disclose each and every

element set forth in the independent claims 1, 8, 12, and 14, and therefore it is respectfully

submitted that claims 1, 8, 12, and 14, as well as their respective dependent claims 2-7, 9-

Examiner: P. Pich

Art Unit: 2135

11, and 13, are allowable over the cited reference. Accordingly, withdrawal of the

rejection is respectfully requested.

Rejection of claims 1-7, 11, and 13 under 35 U.S.C. § 103(a)

Claims 1-7, 11, and 13 presently stand rejected as being unpatentable over Saliba

in view of Ehrat (U.S. 3,806,874). This rejection is respectfully traversed for the

following reasons.

As discussed above, According to the present invention, two bidirectional data

channels are provided between the data carrier and an external device. Signals are

transferred via the first data channel for the purpose of exchanging data between the data

carrier and the external device, and authenticity signals are transferred between the data

carrier and the external device. The first and second data channels are logically separate

from one another.

Further, as discussed above, Saliba fails to disclose or suggest two bidirectional

data channels are provided between the data carrier and a (single) external device.

It is respectfully submitted that Ehrat also fails to disclose or suggest two

bidirectional data channels between a first and a second device. Ehrat discloses a single

duplex transmission channel. According to the duplex scheme for communicating, first

and second devices each have a transmitter and a receiver, whereby a single bi-directional

communication channel is established.

As Ehrat states, "duplex transmission may operate with two different transmission

frequencies so that transmission may take place simultaneously in both directions."

(Ehrat; col. 6, lines 33-35). However, this does not describe two bidirectional

communication channels. Instead, the duplex scheme described by Ehrat comprises only

two mono-directional channels which together make up only a single bidirectional

channel.

Ehrat fails to disclose or suggest the two bidirectional channels of the presently

claimed invention, and therefore Ehrat fails to supplement the deficiencies of Saliba.

Examiner: P. Pich

Art Unit: 2135

Saliba and Ehrat together fail to disclose or suggest two bidirectional data channels

provided between the data carrier and a (single) external device, and therefore Saliba and

Ehrat together fail to disclose or suggest each and every element set forth in claims 1-7,

11, and 13. Accordingly, it is respectfully submitted that claims 1-7, 11, and 13 are

allowable over the cited references, and withdrawal of the rejection is respectfully

requested.

Conclusion

In view of the amendments to the claims, and in further view of the foregoing

remarks, it is respectfully submitted that the application is in condition for allowance.

Accordingly, it is requested that claims 1-14 be allowed and the application be passed to

issue.

If any issues remain that may be resolved by a telephone or facsimile

communication with the Applicant's attorney, the Examiner is invited to contact the

undersigned at the numbers shown.

Respectfully submitted,

BACON & THOMAS, PLLC 625 Slaters Lane, Fourth Floor Alexandria, Virginia 22314-1176

Phone: (703) 683-0500

Date: September 7, 2006

JUSTIN J. CASSELL

Attorney for Applicants

Registration No. 46,205